

Shellfish Allergies

Shellfish are one of the nine major allergens in the United States. Together, they cause about 90% of all food-related allergic reactions. This fact sheet will discuss how to manage shellfish allergies in a family child care.

Which shellfish are most likely to cause an allergic reaction?

There are two types of shellfish:

- Crustaceans (crab, lobster, shrimp, crawfish, and prawn)
- Mollusks (clams, mussels, squid, snails, oysters, and scallops)

Crustacean shellfish are considered the most allergenic. Because some people with shellfish allergies are allergic to more than one type, they may be told to avoid all shellfish. Parents/guardians who have a child with a shellfish allergy should check with their State licensed healthcare professional to find out what type of shellfish their child should avoid (crustaceans and/or mollusks).



How are children affected by shellfish allergies?

Research presented at the Annual Scientific Meeting for the American College of Allergy, Asthma and Immunology (ACAAI) suggests that shellfish allergies among children have increased by 7% from 2010 to 2017. Shellfish allergies are considered life-long.

How are shellfish written in the ingredient list on a food label?

The Food Allergen Labeling and Consumer Protection Act (FALCPA) requires that the specific type of crustacean shellfish (such as shrimp and crabs) be included in the ingredient list on the food label. Mollusks are not considered a major allergen by FALCPA, so ingredient information for mollusks may not be on the label. Because mollusks are not required to be labeled the same way as crustaceans, take special care when reading ingredient lists for them. The following chart lists which shellfish are in the crustacean and mollusk families.



Crustaceans	Mollusks
Barnacle	Abalone
• Crab	• Clam (cherrystone, geoduck, littleneck,
 Crawfish (crawdad, crayfish, ecrevisse) Krill Lobster (langouste, langoustine, Moreton bay bugs, scampi, tomalley) 	Pismo, quahog)
	Cockle
	Cuttlefish
	• Limpet (lapas, opihi)
• Prawn	• Mussel
Shrimp (crevette, scampi)	• Octopus
	• Oyster
	Periwinkle
	Scallop
	Sea cucumber
	Sea urchin
	Snail (escargot)
	• Squid (calamari)
	• Whelk (Turban shell)

If there is uncertainty about whether a food product contains a type of shellfish that a child must avoid, call the manufacturer for more information and do not serve the food.

What foods contain shellfish?

Shellfish can be an ingredient in common sauces and condiments, such as soy sauce and Worcestershire sauce, along with other food products. It is important to read all ingredient lists on food labels to check for shellfish. If going on a field trip or ordering out food, avoid seafood restaurants because the possibility of cross-contact is very high. Cross-contact is the accidental transfer of allergens to an allergen-free food or surface. The following chart lists items that could contain shellfish and should be avoided.



Shellfish Foods and Dishes			
 Bouillabaisse Ceviche (shrimp) Cioppino (fish and shellfish stew) Clam chowder Egg rolls Jambalaya 	 Moqueca Paella Run Down Seafood curry Seafood extracts (crab, clam) 	 Seafood fried rice or noodles Seafood stir-fry Shrimp paste Sushi/sashimi 	
Other Foods, Products, and Ingredients That May Contain Shellfish			
 Clam extract/juice Crab extract Cuttlefish ink Fish sauce (may be made from krill) Fish sticks or portions 	 Fish stock (may be labeled fish bouillon or fumet) Glucosamine (also a dietary supplement) Gumbo 	 Imitation crab/seafood, surimi (often contains crab or shellfish components) Oyster sauce Soy sauce Worcestershire sauce 	

Many items may not contain shellfish but may be produced in a facility where shellfish is processed or used as an ingredient. As a result, cross-contact with shellfish may occur. Do not give a food to a child with a shellfish allergy that is labeled with an advisory statement such as being produced or manufactured in a facility with shellfish.





What substitutes can be used for shellfish in meals served to children?

The following chart lists common menu items that may be used as safe substitutions for food items that contain shellfish. Always carefully read ingredient lists on food labels, even for foods that do not usually contain shellfish.

Menu Items and Condiments That May Contain Shellfish*	Possible Substitutes*†
Curry, fried rice, or stir-fried dishes with seafood, fish sauce, or oyster sauce	Curry, fried rice, or stir-fried dishes without seafood, fish sauce, or oyster sauce
Fish sticks or nuggets	Chicken nuggets or patties
Jambalaya, paella	Jambalaya or paella made without shellfish, other rice dishes without shellfish
Salad dressing, fish sauce, oyster sauce	Dressings and sauces that do not contain shellfish
Shellfish (crab, lobster, shrimp)	Beef, pork, poultry, fish, beans, peas, legumes
Surimi seafood	Beef, pork, poultry, fish, beans, peas, legumes

^{*}All meals and snacks claimed for reimbursement must meet the Child and Adult Care Food Program (CACFP) meal pattern requirements. Please visit www.fns.usda.gov/cacfp/meals-and-snacks for more information. For children with food allergies, providers are required to provide meal modifications as stated in the child's medical statement signed by a State licensed healthcare professional. Meal modifications may require providing meals and snacks that do not meet CACFP meal pattern requirements. These meals are reimbursable as long as there is a medical statement on file documenting the necessary accommodations. Providers may choose to accommodate food-related disabilities without a signed medical statement if the meal modifications still meet the meal pattern requirements. Refer to the Family Child Care Food Allergy Fact Sheets—Accommodating Children with Food Allergies for more information.

How can cross-contact affect a child with shellfish allergies?

Cross-contact is a concern for all allergens, but there are specific concerns related to shellfish allergies. Deep-fat frying is not an allowable method of cooking in family child care, but if shellfish is pan-fried or sautéed, the cooking oil can become contaminated. If you have a child with shellfish allergies, do not cook any food for this child in the same oil that was used to cook shellfish or shellfish products. Cross-contact also can occur from utensils and grills.



[†]Always review the ingredient list to verify ingredients and check for possible cross-contact.

References

- American College of Allergy, Asthma and Immunology. (2019, March 14). *Peanut*. https://acaai.org/allergies/allergic-conditions/food/peanut/
- Centers for Disease Control and Prevention. (2013). *Voluntary guidelines for managing food allergies in schools and early care and education programs*. https://www.cdc.gov/healthyyouth/foodallergies/
- Food Allergy Research & Education. (2020). *Facts and statistics*. https://www.foodallergy.org/resources/facts-and-statistics
- Food Allergy Research & Education. (2020). *Your guide to food allergy*. https://www.foodallergy.org/resources/field-guide-english
- Food Allergy Research & Education. (2021). With the stroke of President Biden's pen, FASTER

 Act for sesame labeling becomes law.

 https://www.foodallergy.org/media-room/stroke-president-bidens-pen-faster-act-sesame-labeling-becomes-law
- Food Allergy Research & Education. (n.d.). *Shellfish allergy*. https://www.foodallergy.org/living-food-allergies/food-allergy-essentials/common-allergens/shellfish
- Institute of Child Nutrition. (2020, June 23). *Food allergies for schools: Shellfish allergies*. https://www.theicn.org/foodsafety
- Mayo Clinic. (2020, June 19). *Shellfish allergy*. https://www.mayoclinic.org/diseases-conditions/shellfish-allergy/symptoms-causes/syc-20377503
- U.S. Department of Agriculture, Food and Nutrition Service. (2013, July 16). *Nutrition standards for CACFP meals and snacks*. https://www.fns.usda.gov/cacfp/meals-and-snacks
- U.S. Department of Agriculture, Food and Nutrition Service. (2017, June 22). *Modifications to accommodate disabilities in CACFP and SFSP*. https://www.fns.usda.gov/modifications-accommodate-disabilities-cacfp-and-sfsp
- U.S. Food and Drug Administration. (2018, July 16). Food Allergen Labeling and Consumer Protection Act of 2004 (FALCPA).

 https://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Allergens/ucm106187.htm
- U.S. Food and Drug Administration. (2021, May 5). *Food allergies*. https://www.fda.gov/food/food-labeling-nutrition/food-allergies
- U.S. Library of Congress. (2021). *Summary: S.578 FASTER Act of 2021*. https://www.congress.gov/bill/117th-congress/senate-bill/578?q=%7B%22search%22%3A%5 B%22S.+578%22%5D%7D&s=1&r=1



For More Information

Food Allergy Research & Education www.foodallergy.org

Institute of Child Nutrition www.theicn.org/foodsafety

U.S. Food and Drug Administration
Food Allergens
www.fda.gov/food/food-labeling-nutrition/food-allergies

This project was funded using U.S. Department of Agriculture grant funds. The USDA is an equal opportunity provider, employer, and lender.

The University of Mississippi is an EEO/AA/Title VI/Title IX/Section 504/ADA/ADEA employer.

For the nondiscrimination statement in other languages: https://www.fns.usda.gov/cr/fns-nondiscrimination-statement

Except as provided below, you may freely use the text and information contained in this document for non-profit or educational use with no cost to the participant for the training providing the following credit is included. These materials may not be incorporated into other websites or textbooks and may not be sold.

Suggested Reference Citation:

Institute of Child Nutrition. (2022). *Family child care food allergy fact sheets – Shellfish allergies*. University, MS: Author.

The photographs and images in this document may be owned by third parties and used by the University of Mississippi under a licensing agreement. The University cannot, therefore, grant permission to use these images. Please contact helpdesk@theicn.org for more information.

© 2022, Institute of Child Nutrition, The University of Mississippi, School of Applied Sciences

03/01/2022

